

# Closet Connector Housing (CCH)

2 rack units, holds 4 CCH connector panels

CORNING

Corning Cable Systems Closet Connector Housings (CCHs) provide interconnect or cross-connect capabilities between the outside plant, riser or distribution cables and the opto-electronics. The housings accept CCH connector panels. The units are designed for rack mounting in 19 in (48 cm) racks or optional 23-in (58 cm) equipment racks (1.75-in EIA hole spacing).

Closet Connector Housings can be ordered with connector panels for multimode and single-mode applications. Documentation labels are provided and components can be added as needed to construct a fiber distribution frame for any application. The units include multiple locations for jumper egress and come with the universal cable clamp for cable strain-relief.

## Features and Benefits

### Interconnect and cross-connect capability

Ideal for field connectorization

---

### Field-installed lock kit

Security

---

### Quality tested

Meets ANSI/TIA/EIA-568A and 606

---

### Mounting provisions for buffer tube fan-out kits

Ideal for field connectorization

---

### Housings have sliding tray (01U and 02U) or open top at front (03U and 04U)

Ease of access

## Standards

### Approval and Listings

Meets ANSI/TIA/EIA-568A and 606



# Closet Connector Housing (CCH)

2 rack units, holds 4 CCH connector panels

CORNING

## Specifications

General Specifications	
Application	Enterprise Networks, Data Center
Mounting Type	Rack 19-in, Rack 23-in
Product Type	Rack-Mountable Hardware

  

Design - Hardware	
Housing color	Black
Housing type	CCH
Height unit	2 U
Locking availability	Front or rear
Maximum number of panels per housing	4
Panel or module type	CCH
Splice tray options	No splice tray option

  

Mechanical characteristics	
Dimensions (H x W x D)	8.9 cm x 43.2 cm x 30.5 cm (3.5 in x 17 in x 12 in)

  

Chemical characteristics	
RoHS	Free of hazardous substances according to RoHS 2002/95/EG

  

Ordering Information	
Order Number	CCH-02U
Product description	Closet Connector Housing (CCH), 2 rack unit, holds 2 CCH connector panels

# Closet Connector Housing (CCH)

2 rack units, holds 4 CCH connector panels



## Shipping Information

Units per Delivery	1/1
Shipping Weight	2.7 kg (6 lb)
Package Contents	Housing; installation guide; 4 blank panels; unit ID label; 2 port identification labels for 2 panels; #8-32 x 50-in screw; 2 #6-32, SS nylon ss nylon self-locking hex nut; 4 1/8 x 4-in tie

**Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA**

**800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • [www.corning.com/cablesystems](http://www.corning.com/cablesystems)**

A complete listing of the trademarks of Corning Cable Systems is available at [www.corning.com/cablesystems/trademarks](http://www.corning.com/cablesystems/trademarks).

Corning Cable Systems is ISO 9001 certified. © 2011 Corning Cable Systems. All rights reserved.

